



POSIX.5b Test Suite Open Systems Project Engineering Conference (OSPEC) FY 98 Status Review 29 April - 1 May 1998

Curtis Royster, Jr.

DISA/JIEO/Center for Standards

Ted Baker

FSU Department of Computer Science

Joe Bergmann

The Open Group



Outline



- Test suite development (FSU)
- Certification program options (TOG)



Test Development Project



- Develop validation test suite for POSIX.5b
- POSIX.5b is the Ada binding for POSIX.1b and POSIX.1c - the POSIX real-time extensions

- Also partially test core (non-real-time) interface
- The Open Group has tests for the core POSIX Clanguage bindings



Motivation



- Standards mean little w/o conformance testing
 - benefits depend on conformance
 - several real-time kernels claim to support POSIX but do not exactly conform
 - all POSIX real-time features are optional
- Tests can provide useful information
 - whether implementation conforms to standard
 - which options are supported
 - whether functionality is usable
- Goal = Portable applications on COTS OS products



Who May Benefit?



- Joint Strike Fighter
- Commercial Ada industry
 - Boeing & Lockheed
- AWACS DIICOE/Real-Time Group
- Army ground & avionics domains

Testing for API conformity helps insure open systems architectures will really work.



POSIX.5b Test Suite Systems Engineering Plan



- Start with Ada Compiler Validation Capability (ACVC) test format
- Extend to allow for POSIX options
- Develop tests incrementally, as series of prototypes
- Distribute prototypes via ftp for comment



What is Tested?



- Ada compiler
 - e.g. GNAT
- Ada binding
 - e.g. Florist
- Underlying operating system
 - e.g. Solaris, IRIX, HP-UX, ...
 - Embedded platforms needed



POSIX.5b API



Tested interface **Application** POSIX Ada Binding Ada Language **Implementation Operating System** Hardware



Schedule



First prototype

- October 1997
- derived from existing FSU Florist tests
- Second prototype

December 1997

- expanded coverage, more uniform style
- Third prototype

March 1998

- 39 test programs, containing over 1450 checks
- Fourth prototype

June 1998

Final product

September 1998

Maintenance

ongoing

Sockets, XTI, POSIX.21...



Directions for Next Stage of Test Development



- Tests for uncovered sections of standard
- More checks in existing tests
- More application-driven tests
- Improve stylistic consistency and comments
- Improve traceability back to standard
- Cross-reference Ada tests to TOG assertions for the C-language interface, if possible?



Comments & Suggestions Solicited



- Potential POSIX.5b users:
 - What platforms will be used?
 - How are these interfaces likely to be used?
 - Can you suggest scenarios for application-driven tests?
- POSIX.5b implementers:
 - Help evaluating tests?
 - Loan of implementations to test?

Tests are available at

ftp://ftp.cs.fsu.edu/pub/PART/5btests

Send e-mail to baker@cs.fsu.edu

phone: (850) 644-5452



Certification Options



- Idea: integrate with Ada compiler validation
- Options
 - no certification
 - The Open Group
 - IEEE
 - others, e.g. ARA and AVF's







Joe Bergmann j.bergmann@opengroup.org

- Computer industry consortium
- Formed 2/96 from the merger of OSF (Cambridge MA) and X/Open (Reading UK)
- \$55M
- Not for profit



The Open Group Activities



- Customer Council
 - Buy-side forum for direction and requirements
- Research Institute
- Collaborative development
- Standards for Open Systems
- Test suite development
- Branding



Testing and Branding



- Bringing standards to market
- Business case
 - not funded through membership
 - we only invest if there is market demand
- Benefits to buyers and to suppliers
 - market growth
 - encouragement of choice and open competition
 - investment in useful differentiators
 - test development costs shared among suppliers







- Indicators of Compliance
 - continuous *not* snapshot
 - support Brand
 - self test
- Treated as S/W products
 - licences
 - support and maintenance service
- Development usually funded through advance license sales
- Must be self-sustaining



Some Current Programs



UNIX

- extensive tests
- procurement program
 - \$25B to date
 - \$5B in '97
- funded by brand royalties and test suite revenue



Certification for POSIX Ada



- Development and management of a certification program
- Using the well tried processes of the Open Group branding program
- But:
 - no use of Open Group trademarks
 - platform based (like FIPS 151), not architecture
 - certificate of validation, not guarantee



Backup Material



The following contain more detailed information about the POSIX.5b Test Suite.



Systems Eng. Approaches for Test Development



- standard-driven
- application-driven

(not using test assertions)



Application-Driven Tests



- Derived from abstract application scenario, e.g.
 - clients and servers
 - communicating periodic tasks
- Each program uses several POSIX packages
- Alternate solutions to a single scenario, using different combinations of features
- Test feature interactions, usability



Standard-Driven Tests



- Follow structure of standard document
- Generally one program per package
- Test cases derived directly from analysis of the standard
 - correct names, parameters
 - error handling
 - correct effect, in simple cases



Sample Test Program



```
with Calendar,
     POSIX,
     POSIX Limits,
     POSIX Timers;
procedure p140100 is
   use POSIX,
       POSIX Timers;
begin
   Header ("p140100", Root_OK => True);
   ... tests ...
   Done;
exception
when E1 : POSIX Error =>
   Optional (Timers Option,
     Operation Not Implemented, E1);
   Done;
when E2: others => Fatal Exception (E2);
end p140100;
```



Sample Test



```
Arming timer with zero initial value
    raises POSIX_ERROR with error code Invalid_Argument.
begin
  Set Initial (State, Zero Timespec);
  Set_Interval (State, Zero_Timespec);
  Arm Timer (Timer, Absolute Timer, State);
  Expect_Exception ("A034");
exception
when E1 : POSIX Error =>
   if Get Error Code /= Invalid Argument then
      Optional (Timers_Option,
        Operation Not Supported, E1, "A035");
   end if;
when E2: others => Fail (E2, ^{\text{NA036}});
end;
```



Sample Output



```
,.,. p050100 POSIX Ada Validation Tests, Version 1.2
==== Test Completed Successfully.

,.,. p050200 POSIX Ada Validation Tests, Version 1.2
   !!TEST FAILED: A051: times out of order by 18000s
   !!TEST FAILED: A053: times out of order by 18000s
==== Failed 2 tests.
```

- Verbosity controllable by command line argument
- This is middle verbosity level



POSIX Realtime Options and Ada Packages



- Asynchronous I/O
- File Synchronization
- Prioritized I/O
- Synchronized I/O
- Memory Mapped Files
- Memory Locking
- Memory Range Locking
- Memory Protection
- Message Queues
- Mutex Priority Ceiling
- Mutex Priority Inheritance
- Mutexes

POSIX_Asynchronous_IO

POSIX_IO*

POSIX_IO*

POSIX_IO*

POSIX_Memory_Mapping

POSIX_Memory_Locking

POSIX_Memory_Range_Locking

POSIX_Memory_Protection

POSIX_Message_Queues

POSIX_Mutexes

POSIX_Mutexes

POSIX_Mutexes



POSIX Realtime Options and Ada Packages



- Mutexes
- Process Shared
- Priority Process Scheduling
- Priority Task Scheduling
- Shared Memory Objects
- Semaphores
- Realtime Signals
- Signal Entries
- Timers

POSIX_Condition_Variables

POSIX_Mutexes,

POSIX_Condition_Variables

POSIX_Process_Scheduling

Ada.Dynamic_Priorities, pragmas, etc.

POSIX_Shared_Memory_Objects

POSIX_Semaphores

POSIX_Signals*,

Ada.Interrupts

POSIX_Signals*

POSIX_Timers



Test Coverage Matrix (Key)



| | R | P | A | S | U |
|---|---|---|---|---|---|
| Realtime area | X | | | | |
| Realtime features added | + | | | | |
| Realtime minor modifications | • | | | | |
| Package interfaces exist to test | | X | | | |
| ACVC already provides coverage | | | X | | |
| Specific tests exist | | | | X | |
| Specific tests planned for next prototype | | | | * | |
| Used in other tests heavily | | | | | X |
| Used moderately | | | | | + |



Chapter 2 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|-------------------------|---|---|---|---|---|---------|
| 1-2.3 | Introduction | | | | | | |
| 2.4 | POSIX | | X | | X | X | p020400 |
| 2.5 | POSIX_Options | + | X | | X | X | |
| 2.6 | POSIX_Limits | + | X | | | X | |
| 2.7 | Ada_Streams | + | X | X | | + | |
| 2.8 | System | | X | X | | + | |
| 2.9 | System_Storage_Elements | | X | X | | + | |
| 2.1 | POSIX_Page_Alignment | X | X | | X | X | p021000 |
| 2.11 | Environment Description | | | | | | |



Chapter 3 & 4 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|----------------------------------|---|---|---|---|---|------------|
| 3.1 | POSIX_Process_Primitives | X | X | | X | X | p030100-01 |
| 3.2 | POSIX_Unsafe_Process_Primitives | | X | | X | | p030200 |
| 3.3 | POSIX_Signals | + | X | | X | X | p030300 |
| 4.1 | POSIX_Process_Identification | | X | | X | X | p040100-01 |
| 4.2 | POSIX_Process_Times | | X | | | | p040100 |
| 4.3 | POSIX_Process_Environment | | X | | X | X | p040300-01 |
| 4.4 | POSIX_Calendar | | X | | X | + | p040300 |
| 4.5 | POSIX_Configurable_System_Limits | | X | | X | + | p040300 |



Chapter 5 & 6 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|--------------------------------|---|---|---|---|---|---------|
| 5.1 | POSIX_Permissions | | X | | X | + | p050100 |
| 5.2 | POSIX_Files | | X | | X | X | p050200 |
| 5.3 | POSIX_File_Status | | X | | X | X | p050300 |
| 5.4 | POSIX_Configurable_File_Limits | | X | | | | p050300 |
| 6.1 | POSIX_IO | • | X | | X | X | p060100 |
| 6.2 | POSIX_File_Locking | | X | | X | | p060200 |
| 6.3 | POSIX_Asynchronous_IO | | X | | X | • | p060300 |



Chapter 7-10 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|--------------------------------|---|---|---|---|---|---------|
| 7.1 | General Terminal Interface | | | | | | |
| 7.2 | POSIX_Terminal_Functions | | X | | X | | p070200 |
| 8.1 | Interoperable Ada I/O Services | | | | | | |
| 8.2 | POSIX_Supplement_To_Ada_IO | | X | | X | | p090100 |
| 9.1 | POSIX_User_Database | | X | | X | | p090100 |
| 9.2 | POSIX_Group_Database | | X | | X | | p090200 |
| 10 | Data Interchange Format | | | | | | |



Chapter 11& 12 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|-----------------------------|---|---|---|---|---|------------|
| 11.1 | POSIX_Semaphores | X | X | | X | X | p110101 |
| 11.2 | POSIX_Mutexes | X | X | | X | X | p110200-01 |
| 11.3 | POSIX_Condition_Variables | X | X | | X | X | p110300 |
| 12.1 | POSIX_Memory_Locking | X | X | | X | | p120100-01 |
| 12.2 | POSIX_Memory_Range_Locking | X | X | | X | | |
| 12.3 | POSIX_Memory_Mapping | X | X | | X | | p120300 |
| 12.4 | POSIX_Shared_Memory_Objects | X | X | | X | + | p120400 |
| 12.5 | POSIX_Generic_Shared_Memory | X | X | | X | | p120500-02 |



Chapter 13-16 Tests



| Section | Package/Topic | R | P | A | S | U | Tests |
|---------|-----------------------------------|---|---|---|---|---|------------|
| 13.1 | Scheduling Concepts & Terminology | X | | | | | |
| 13.2 | POSIX_Process_Scheduling | X | X | | * | X | |
| 13.3 | Task Scheduling | X | | X | | X | |
| 13.4 | Synchronization Scheduling | X | | | * | + | |
| 14.1 | POSIX_Timers | X | X | | X | X | p140100 |
| 14.2 | High Resolution Delay | X | | X | | + | |
| 15.1 | POSIX_Message_Passing | X | X | | X | X | p150100-01 |
| 16.1 | Ada_Task_Identification | X | X | X | | + | |



99-series: Periodic Rate Monotonic Task Scenario



| | 10 | 20 | 30 | * |
|----------------------|----|----|----|---|
| tasks | X | X | X | |
| processes | | | | * |
| Calendar.Clock | | | X | |
| Ada.Real_Time.Clock | | | | |
| POSIX.Calendar.Clock | X | | | |
| Clock_Realtime | | X | | * |
| delay statement | X | | X | |
| timers | | | | * |
| T im ed _ W ait | | X | | |
| protected objects | | | X | |
| s em ap hores | | | | * |
| mutexes and CVs | X | X | | |
| Communication | | | | |
| local memory | X | X | X | |
| shared memory | | | | * |